

Flamberg
Bath Fittings

the best way to choose comfort




FAUCETS | SHOWERS
ACCESSORIES






Flamberg

Bath Fittings



About us



Flamberg is an inspiration, skill, thought of fulfilling the dreams of common man for their bathroom desire. Since its beginning, Flamberg has learnt and then perfected the concepts of real bathing, technical revolution and water management of individual product. Our belief is not only in capturing the market but offering the widest range, easy operations and true value for your money.

We have blended latest technology with regional local requirements of water characteristics, and patterns. All modern technological features are part of our products e.g.

- a. Anti friction ring for high torque operations.
- b. Deformation-free washers and 'O' rings, made of Nitrile and neoprene, usable upto 200 PSI.
- c. Anti- Splasher aeration system for air-water mixing in foam flow service.

Usage of lead free brass ingots for health and hygiene purpose. Customer proximity is extremely important to us, but even more crucial are long-term partnership based on mutual trust and respect - a strong tradition at Flamberg - our single most powerful attribute. We have special focus on dealer-friendly approaches, our business watchword being : **Once with us, always with us.**

Flamberg looks ahead to meet you with enthusiasm and cheer.

THE BEST WAY
TO CHOOSE COMFORT



Valentino	4-7
Admire	8-9
Continental	10-11
Jazz	12-13
Grace	14-15
Orchid	16-17
Omega	18-19
Liva	20-21
Coral	22-23
Oreo	24-25
Polo	26-27
Duke	28-29
Showers	30-32
Allied	33-34



VA-041
Centre Hole Basin Mixer



VA-011
Bib Cock



VA-012
Bib Cock Long Nose



VA-015
Pillar Cock



VA-021
Angle Stop Cock



VA-018
Concealed Stop Cock
Heavy Duty with Flange



VA-031
Sink Cock



VA-016
Pillar Cock
Swan Neck



VA-045
Sink Mixer with Swinging Spout



VA-051
Wall Mixer Non-Telephonic



VA-053
Wall Mixer Telephonic Complete
with C.P. Tube & Hand Shower



VA-055
Wall Mixer Telephonic
with 'L' Bend



OS-014
Overhead Shower



VA-069
Four Way Divertor



VA-066
Plain Spout



DS-11
4 Way Single Lever
Concealed Divertor
For Bath & O.H. Shower System



DS-12
3 In Let Single Lever High Flow
Concealed Divertor
For Bath & O.H. Shower System



DR-11
4 Way Single Lever
Concealed Divertor
For Bath & O.H. Shower System



DR-12
3 In Let Single Lever High Flow
Concealed Divertor
For Bath & O.H. Shower System



VA-067
Tip-Ton Spout



VA-061
Single Lever Basin Mixer



VA-062
Single Lever Basin Mixer
with 135 mm Extended body

Flamberg
Bath Fittings

Admire
collection

½" Quarter Turn

Recharge you to the Core



AD-041
Centre Hole Basin Mixer



AD-011
Bib Cock



AD-012
Bib Cock Long Nose



AD-015
Pillar Cock



AD-021
Angle Stop Cock



AD-022
Two Way Angle Cock



AD-018
Concealed Stop Cock
Heavy Duty with Flange



AD-016
Pillar Cock Swan Neck



AD-024
Two Way Bib Cock



AD-031
Sink Cock



AD-045
Sink Mixer with Swinging Spout



AD-051
Wall Mixer Non-Telephonic



AD-053
Wall Mixer Telephonic Complete
with C.P. Tube and Hand Shower



AD-057
Wall Mixer
3 in 1

Flamberg
Bath Fittings

continental
collection

1/2" Quarter Turn

Designed for Looks & Performance



CN-041
Centre Hole Basin Mixer



CN-011
Bib Cock



CN-012
Bib Cock Long Body



CN-014
Long Nose Bib Cock



CN-015
Pillar Cock



CN-018
Concealed Stop Cock
Heavy Duty with Flange



CN-021
Angle Stop Cock



CN-022
Two Way Angle Cock



CN-024
Two Way Bib Cock



CN-023
Nozzle Bib Cock



CN-031
Sink Cock



CN-016
Pillar Cock Swan Neck




CN-051
Wall Mixer Non-Telephonic



CN-045
Sink Mixer with Swinging Spout



CN-055
Wall Mixer Telephonic
with 'L' Bend



CN-057
Wall Mixer 3 in 1



JA-041
Centre Hole Basin Mixer



JA-011
Bib Cock



JA-012
Bib Cock Long Nose



JA-021
Angle Stop Cock



JA-015
Pillar Cock



JA-018
Concealed Stop Cock
Heavy Duty with Flange



JA-022
Two Way Angle Cock



JA-016
Pillar Cock Swan Neck



JA-045
Sink Mixer with Swinging Spout



JA-051
Wall Mixer Non-Telephonic



JA-053
Wall Mixer Telephonic Complete
with C.P. Tube and Hand Shower



JA-055
Wall Mixer Telephonic with 'L' Bend



JA-057
Wall Mixer 3 in 1



GR-041
Centre Hole Basin Mixer



GR-011
Bib Cock



GR-012
Bib Cock Long Nose



GR-021
Angle Stop Cock



GR-015
Pillar Cock



GR-016
Pillar Cock Swan Neck



GR-018
Concealed Stop Cock
Heavy Duty with Flange



GR-022
Two Way Angle Cock



GR-031
Sink Cock



GR-045
Sink Mixer with
Swinging Spout



GR-051
Wall Mixer Non-Telephonic



GR-053
Wall Mixer Telephonic Complete
with C.P. Tube & Hand shower



GR-055
Wall Mixer Telephonic with 'L' Bend



GR-057
Wall Mixer
3 in 1

Flamberg
Bath Fittings

Orchid
collection

½" Quarter Turn

FINEST DESIGN ELEMENT





OR-011
Bib Cock



OR-012
Bib Cock Long Body



OR-021
Angle Stop Cock



OR-015
Pillar Cock



OR-016
Pillar Cock Swan Neck



OR-018
Concealed Stop Cock
Heavy Duty with Flange



OR-022
Two Way Angle Cock



OR-045
Sink Mixer with
Swinging Spout



OR-051
Wall Mixer Non-Telephonic



OR-053
Wall Mixer Telephonic Complete with
C.P. Tube & Hand Shower



OR-055
Wall Mixer Telephonic with 'L' Bend



OR-057
Wall Mixer
3 in 1



OM-041
Centre Hole Basin Mixer



OM-015
Pillar Cock



OM-011
Bib Cock



OM-012
Bib Cock Long Body



OM-014
Long Nose Bib Cock



OM-021
Angle Stop Cock



OM-018
Concealed Stop Cock
Heavy Duty with Flange



OM-022
Two Way Angle Cock



OM-023
Nozzle Bib Cock



OM-016
Pillar Cock Swan Neck



OM-031
Sink Cock



OM-045
Sink Mixer with Swinging Spout



OM-051
Wall Mixer Non-Telephonic



OM-053
Wall Mixer Telephonic Complete
with C.P. Tube and Hand Shower



OM-055
Wall Mixer Telephonic
with 'L' Bend



LI-041
Centre Hole Basin Mixer



LI-011
Bib Cock



LI-012
Bib Cock Long Nose



LI-021
Angle Stop Cock



LI-015
Pillar Cock



LI-018
Concealed Stop cock
Heavy Duty with Flange



LI-022
Two Way Angle Cock



LI-024
Two Way BibCock



LI-016
Pillar Cock Swan Neck



LI-031
Sink Cock



LI-045
Sink Mixer with Swinging Spout



LI-055
Wall Mixer Telephonic with 'L' Bend



LI-056
Wall Mixer
3 in 1



CO-041
Centre Hole Basin Mixer



CO-011
Bib Cock



CO-012
Bib Cock Long Body



CO-014
Bib Cock Long Nose



CO-015
Pillar Cock



CO-018
Concealed Stop Cock
Heavy Duty with Flange



CO-021
Angle Stop Cock



CO-022
Two Way Angle Cock



CO-024
Two Way Bib Cock



CO-023
Nozzle Bib Cock



CO-016
Pillar Cock Swan Neck



CO-031
Sink Cock with Swinging Spout



CO-045
Sink Mixer with Swinging Spout




CO-055
Wall Mixer Telephonic
with 'L' Bend



CO-056
Wall Mixer
3 in 1



OE-041
Centre Hole Basin Mixer



OE-011
Bib Cock



OE-014
Bib Cock Long Nose



OE-021
Angle Stop Cock



OE-015
Pillar Cock



OE-018
Concealed Stop cock
Heavy Duty with Flange



OE-022
Two Way Angle Cock



OE-024
Two Way Bib Cock



OE-051
Wall Mixer Non Telephonic



OE-031
Sink Cock



OE-045
Sink Mixer with Swinging Spout



OE-055
Wall Mixer Telephonic with 'L' Bend



OE-056
Wall Mixer
3 in 1



PO-041
Centre Hole Basin Mixer



PO-011
Bib Cock



PO-012
Bib Cock Long Nose



PO-021
Angle Stop Cock



PO-015
Pillar Cock



PO-018
Concealed Stop cock
Heavy Duty with Flange



PO-022
Two Way Angle Cock



PO-024
Two Way Bib Cock



PO-016
Pillar Cock Swan Neck



PO-031
Sink Cock



PO-045
Sink Mixer with Swinging Spout



PO-055
Wall Mixer Telephonic with 'L' Bend



PO-056
Wall Mixer
3 in 1



DU-041
Centre Hole Basin Mixer



DU-011
Bib Cock



DU-012
Bib Cock Long Nose



DU-021
Angle Stop Cock



DU-015
Pillar Cock



DU-018
Concealed Stop cock
Heavy Duty with Flange



DU-024
Two Way Bib Cock



DU-022
Two Way Angle Cock



DU-031
Sink Cock



DU-016
Pillar Cock Swan Neck



DU-045
Sink Mixer



DU-051
Wall Mixer Non Telephonic



DU-025
Flush Cock



DU-055
Wall Mixer Telephonic with 'L' Bend



DU-056
Wall Mixer
3 in 1

SHOWERS

Our affection for our products is expressed in a meaningful and unique way. Flamberg takes its original products and design them with great attention. After all a true act of luxury requires Skill and craftsmanship, often inspired by love.



OS-001 8" X 8"
OS-0011 6" X 6"



OS-002
Square 4" x 4"



OS-012
Leo



OS-003
Classic Round



OS-014
City



OS-004
Dura

Brass Showers



OS-020
Conti



OS-021
Bell



OS-022
Flora



OS-025
Solo



OS-023
Pearl



OS-027
Lotus

Overhead Showers



OS-007
Classic



OS-005
Dolphin



OS-006
Blaze



OS-008
Crazy



OS-009
Olivia



OS-010
Quadro Roto



Shower Arm "SQUARE"
Available sizes : 15" & 12"



Shower Arm "ROUND"
Available sizes : 15", 12" & 9"



TS-001
Quadro Roto



TS-002
Olivia



TS-003
Blaze



TS-004
Classic



TS-005
Crazy



TS-006
Dolphon



TS-07
Rado



TS-08
Leo

Allieds



HF-05
Symphony Health Faucet
with C.P. Tube



HF-01
Conti Health Faucet
with C.P. Tube



HF-02
Deluxe Health Faucet
with C.P. Tube



HF-03
Fusion Health Faucet
with C.P. Tube



BT-01
Bottle Trap
Square



BT-02
Bottle Trap with Partition
Sleek



BT-03
Bottle Trap
Glassi



BT-04
Bottle Trap
Parry



AL-07
Sleek Flush Valve Push Type
(Self Closing Flush Valve)



AL-04
1/2" Quarter Turn
Cartridge



AL-05
3/4" Quarter Turn
Cartridge



AL-06
Single Lever Ceramic
Cartridge 40 mm




Ext. Nipple



Angle Valve
ROUND
AV-001



Angle Valve
SQUARE
AV-002



Flange



GR-01
Plain Grating 3"



GR-02
Plain Grating 4"



GR-03
Plain Grating with Hole



GR-04
Square Cockroach Trap
with hole



GR-05
Square Cockroach Trap



GR-06
Round Cockroach Trap
with hole



GR-07
Round Cockroach Trap



JP-01
American Jet Spray



WC-01
Waste Coupling
Half Thread 32 mm



WC-02
Waste Coupling
Full Thread 32 mm



WC-03
Waste Coupling
Pop-Up



JP-02
Straight Jet Spray



JP-03
Multi Jet Spray



AL-02
'L' Bend for Mixture



AL-18/24
Connection Pipe PVC
18"/24" Long Complete Set



AL-03
S.S. Braided Connector for
Centre Hole Basin Mixture

Installation Guidelines

Pre-installation Guidelines

Better use 25mm pipeline instead of 20mm to ensure better pressure of water. Lay pipeline straight & vertical to get maximum water pressure.

Keep the number of bends in the pipeline to the minimum, to get good water pressure.

All pipelines should have Vent Pipes to ensure smooth flow of water and avoid air locking.

Hole-to-Hole distance for mixers should be standard 165mm for trouble free installations of mixers.

Outlet of Storage Tank should be minimum 10cm above the bottom to avoid dust, sand and foreign particles flowing with water into the fittings.

Clean the overhead tank and pipelines properly before fixing the fittings/taps to avoid sand, cement & other particles clog the taps.

Don't use excessive force to tighten the fittings. Excess length of the threads should be cut to suit the space inside the elbows; also wrenches and spanners should be softened by using plastic or cotton inserts before tightening the taps.

Test all the concealed fittings for leakage before plastering and fixing of tiles.

Please get your Plumbing done by experienced plumbers only.

Post-installation Guidelines

Cover the taps / mixers with poly pack after installations, till they are put to regular use, to protect the finish from dust, strains, paint, chemicals and damages.

Don't use harsh cleaning agents like acids, alkalizes and abrasives. Use soft sponge or wet cloth with soap water or 10% diluted vinegar to clean the fittings. However fine chalk powder can be used to shine the taps.

Clean the aerators (Foam-Flow) at regular intervals to maintain good flow of water.

Fittings should be operated gently while turning on/off. Over-tightening gives friction to threads that reduces the life of the fitting.

Do not lean or put excessive weight on taps. Excessive weight can damage or even break the taps.


In case of repair or replacement, insist on genuine PLATO spares from our authorised dealers.

The following chart gives you an indication of the minimum required for getting a good performance from bath fittings.

S. No.	Product	Min. Press. In Lb.Sq.in	Min. Press. In Kgf/sq. cm	Min. Press. In Terms of Height of Tank*
1	Q/T, H/T or F/T fittings with Single Spindle	10 PSI	0.7 Kgf	07 meters
2	Q/T, H/T or F/T Mixers	15 PSI	1 Kgf	10 meters
3	Single Lever Mixers	20 PSI	1.5 Kgf	15 meters
4	Single Function Showers	15 PSI	1 Kgf	10 meters
5	Multi Function Showers	30 PSI	2 Kgf	20 meters
6	Flush Valves and Flush Cocks	10 PSI	0.7 Kgf	07 meters

* Kindly note that these figures are merely indicative. Water Flow rate depends on various other factors like Water Salinity, Dissolved constituents, bends in pipelines, diameter of pipes used.

Flamberg
Bath Fittings



Flamberg
Bath Fittings

Mfg. by:

MEENAKSHI INDUSTRIES

Distt. Sonapat

Haryana INDIA

e-mail: flamberg.mi@gmail.com